




DID YOU KNOW?

Hearing loss is correlated with other medical conditions.



Essential Learning Opportunities

1. American Diabetes Association. (2013). Diabetes and hearing loss. <https://diabetes.org/about-diabetes/complications/hearing-loss/diabetes-and-hearing-loss>
2. Johns Hopkins Medicine. (n.d.). The hidden risks of hearing loss. <https://www.hopkinsmedicine.org/health/wellness-and-prevention/the-hidden-risks-of-hearing-loss>
3. Vilayur, E. (2010). The association between reduced GFR and hearing loss: a cross-sectional population-based study. *American Journal of Kidney Diseases*. <https://pubmed.ncbi.nlm.nih.gov/20673695/>
4. Chia, EM et al. (2006). Association between vision and hearing impairments and their combined effects on quality of life. *JAMA Ophthalmology*. <https://jamanetwork.com/journals/jamaophthalmology/fullarticle/418658>

5. Glassman, J. et al. (2021). Health status of adults with hearing loss in the United States. *Audiol Res*. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8006152/>
6. Johns Hopkins Gazette. (2012). Hearing loss linked to three-fold risk of falling. <https://gazette.jhu.edu/2012/03/05/hearing-loss-linked-to-threefold-risk-of-falling/>
7. Lin FR, Yaffe K, Xia J, et al. Hearing Loss and Cognitive Decline in Older Adults. *JAMA Intern Med*. 2013;173(4):293–299. doi:10.1001/jamainternmed.2013.1868
8. Johns Hopkins Medicine. (n.d.). Age-related hearing loss (presbycusis). <https://www.hopkins-medicine.org/health/conditions-and-diseases/presbycusis>